

Building partnerships to address the HIV epidemic

Chua A C, Leo Y S, Lee C C

ABSTRACT

Introduction: Batam is one of the islands comprising the Riau Province in Indonesia, and is closest to Singapore. It is a popular destination of many Singaporeans. Surveillance reports among commercial sex workers conducted in Batam showed the prevalence rate of human immunodeficiency virus (HIV) is 16.2 percent. At the end of 2006, the total number of HIV-infected Singaporeans was 3,060, the majority being infected via heterosexual transmission. The aim of the Indonesian government is to rapidly scale up HIV treatment to those needing it. One of the factors critical to the rapid scale-up is healthcare worker training.

Methods: An intersectoral collaboration addressing the issue of HIV care and treatment with a hospital in Batam was created. The first activity of the collaboration was a two-day HIV training course conducted in February 2007. The aim of the course was to provide a basic understanding of HIV, as well as knowledge on common opportunistic infections that may present to a general hospital or clinical setting.

Results: 34 doctors from 23 institutions in Batam and three doctors from two hospitals in the Riau Islands attended the two-day HIV training course. The participants found the training very useful and highly relevant.

Conclusion: This first HIV training provided a foundation to build on further HIV education. It is our belief that through the HIV training programme, there will be more awareness of HIV among the various medical institutions in Batam. As the HIV epidemic knows no borders, working with neighbouring countries is one strategy that deserves attention.

Keywords: acquired immunodeficiency syndrome (AIDS), health education, human immunodeficiency virus (HIV), infectious disease, sexually transmitted disease

Singapore Med J 2008;49(5):376-379

INTRODUCTION

The Riau archipelago is one of the provinces in Indonesia and bordered by three countries: Malaysia, Singapore and Vietnam. Geographically, the Riau islands are located on the international trading route, and in Indonesia, this province is the second largest tourism destination for Singaporeans and Malaysians.⁽¹⁾ Batam, together with Bintan, Karimun, Natuna, Lingga Regencies and Tanjung Pinang, make up the Riau Province in Indonesia; it is the closest to Singapore, a mere 20 km away or 20 min by ferry. Batam has a land area of 415 km², and its population has risen during the last ten years from 106,667 in 1990 to 439,971 in 2000.^(1,2) According to the 2006 UNAIDS report on the global acquired immunodeficiency syndrome (AIDS) epidemic, there are currently 176,000 people living with human immunodeficiency virus (HIV)/AIDS in Indonesia. The prevalence rate among adults aged 15–49 years is 0.1%.⁽³⁾ Surveillance reports among commercial sex workers conducted by the local department of health in Batam showed that in 2006, the prevalence rate of HIV is 16.2%, an increase from 3% in 2000.⁽⁴⁾

Because of its proximity, the Riau Islands is a popular destination among Singaporeans. A recent survey conducted by Action for AIDS, a Singapore non-governmental organisation involved in HIV prevention, revealed the demographics of Singaporean men who engaged in high-risk sexual activities overseas, in particular those in the nearby Riau Islands.⁽⁵⁾ The survey was conducted between July 2005 and September 2005 on a sample of 979 Singaporean male travellers at ferry terminals and hotels in the Riau Islands, including Batam. Results showed that about 40% of the survey participants had travelled to the Riau Islands 1–2 times in the last six months, with a mean average stay of about two days. 70% of the respondents said they were in the Riau Islands to have sexual intercourse with a girlfriend and/or with commercial sex workers. Close to 70% of the respondents said they never or rarely use condoms when they have intercourse there. Sen et al noted in their review on the rising trend of sexually-transmitted infections (STI) and HIV infections in Singapore, that the Riau islands follows only Singapore as the source of primary contacts of patients diagnosed with gonorrhoea.⁽⁶⁾

At the end of 2006, the total number of HIV-infected Singaporeans was 3,060, with the majority being infected via heterosexual transmission.⁽⁷⁾ As the HIV epidemic

Department of
Medicine,
Division of
Infectious Diseases,
National University
Hospital,
5 Lower Kent Ridge
Road,
Singapore 119074

Chua AC, MD
Consultant

Department of
Infectious Diseases,
Communicable
Disease Centre,
Tan Tock Seng
Hospital,
Moulmein Road,
Singapore 308433

Leo YS, MRCP,
FRCP, FAMS
Clinical Director and
Associate Professor

Lee CC, MRCP,
FRCP, FAMS
Senior Consultant

Correspondence to:
Dr Arlene C Chua
Tel: (65) 6772 4033
Fax: (65) 6779 4112
Email: arlene_chua@
nuhs.edu.sg

knows no borders, working with neighbouring countries is one strategy that deserves attention. The provision of HIV care and treatment in resource-limited settings is rapidly expanding. In Indonesia, anti-retroviral treatment (ART) has been subsidised by its government since August 2004. There are 25 designated HIV referral hospitals throughout Indonesia.⁽⁸⁾ The aim of the Indonesian government is to rapidly scale up HIV treatment to those needing it. One of the factors critical to the rapid scale-up is healthcare-worker training. HIV training is required by healthcare workers who are faced with patients with HIV infection. This is one of the objectives of this intersectoral collaboration.

METHODS

In May 2006, the National University Hospital (NUH), Singapore, was invited by the World Health Organisation team in charge of HIV monitoring and surveillance in Indonesia, to join them in a site visit to Budi Kemuliaan Hospital in Batam, Indonesia. Since August 2004, the Indonesian government has provided subsidised ART. There are an estimated 11,806 HIV patients being followed-up, as of September 2006. The total number of patients who have received ART in Indonesia is estimated to be 8,084.⁽⁸⁾ Budi Kemuliaan Hospital is one of the 25 designated referral hospitals for HIV care and treatment in Indonesia and serves the surrounding Riau Islands. There are 118 patients being actively followed-up in the hospital, and as of July 2006, 52 patients were receiving ART.⁽⁴⁾ One of the challenges of local doctors taking care of HIV patients is the lack of experience and expertise in HIV medicine, including management of opportunistic infections. After this initial visit, both Budi Kemuliaan Hospital and the NUH mutually expressed their interest in forming a collaboration that would be beneficial to both parties.

Through the National University of Singapore (NUS) Leadership in Academic Medicine Mentoring Programme, a small fund was granted to support this initiative to build and develop an intersectoral collaboration between the academic (NUH), public (Communicable Disease Centre [CDC]-Tan Tock Seng Hospital [TTSH], Singapore) and private non-governmental (Budi Kemuliaan Hospital) organisations. This was co-funded by the Department of Infectious Diseases, TTSH.

In June 2006, the medical team from Budi Kemuliaan Hospital visited Singapore for a site visit of both NUH and TTSH, where they were shown the care and management of HIV patients in Singapore. Subsequent meetings were held discussing details of collaboration and eventually a memorandum of understanding was signed by the

National Healthcare Group (CDC-TTSH and NUH) and Budi Kemuliaan Hospital on December 15, 2006 in Batam, Indonesia. The memorandum of understanding expresses the interest of both parties for collaboration in infectious disease training and education, provision of bilateral exchanges of information with the aim of supporting and improving patient care delivery, as well as exploring mutually beneficial collaboration in the area of research. Focus group sessions were held with local general practitioners. One of the identified needs was the lack of awareness and training in HIV management among the local general practitioners in Batam and surrounding Riau Islands. The first activity of the collaboration was a two-day HIV training course conducted in February 2007. The aim of the course was to provide a basic understanding of HIV as well as knowledge on the common opportunistic infections that may present to a general hospital or clinical setting.

RESULTS

34 doctors from 23 institutions, including hospitals, clinics, the local Ministry of Health office in Batam, and three doctors from two hospitals in the surrounding Riau Islands, attended the two-day HIV training course. The list of the hospitals and clinics taking part in the course are listed in Table I. Topics in the HIV training were: epidemiology of HIV including local, regional and international data; pathogenesis of HIV; voluntary counselling and testing for HIV in Batam, Indonesia; introduction to the continuum of care for HIV patients in Batam; prevention of maternal to child transmission; ART; tuberculosis and HIV; chest radiograph findings and pulmonary manifestations of HIV-related opportunistic infections; neurological manifestations of HIV-related opportunistic infections; gastrointestinal opportunistic infections; and dermatological manifestations of HIV-related infections. Speakers were consultants from CDC-TTSH, NUH and Budi Kemuliaan Hospital. Participants received six CME credits for the course, endorsed by the Indonesian Medical Association.

A pre-test was conducted to assess the baseline knowledge of HIV among the participants. After the two-day training, a post-test was conducted to assess understanding of the lectures given. The test consisted of 15 multiple-choice questions covering the topics presented on HIV as detailed above. Pre-test results showed a mean score of 4.10 (range 1–6) and post-test results revealed an improved mean score of 7.04 (range 4–9). The participants found the training very useful and highly relevant, giving an average score of 4.47 (5: excellent; 4: very good; 3: good; 2: unsatisfactory; 1: poor).

Table 1. List of institutions who participated in the HIV training course

Batam	RS Elizabeth
	RS Harapan Bunda
	RS Otorita Batam
	RS Budi Kemuliaan
	RSUD Batu Aji
	RS Awal Bross
	RS Harapan Bunda
	PKM Sei Panas
	PKM Bulang
	PKM Baloi Permai
	PKM Sei Pancur
	PKM Sekupang
	PKM Sungai Panas
	PKM Sei Lekop
	PKM Sei Pancr
	Klinik Ginjal RA Habibibie
	Klinik McDermott
	Klinik Prima Dati
	Klinik Kimia Farma
	KF Kampung Utama
IDI Batam/Sagulung Clinic	
Din Kes Kota Batam (government)	
Yonif 134 (military hospital)	
Tanjung Balai Karimun	RS Umum Daerah
Tanjung Pinang	RS Angkatan Laut (navy hospital)

RS: rumah sakit or hospital; PKM: pusat khumat medis or poly-clinic/general clinic; Din Kes: dinas kesehatan or Ministry of Health; Yonif: military unit

DISCUSSION

This first HIV training provided a foundation to build on further HIV education. All participants expressed their interest in additional training and follow-up. Discussions during the first HIV training included how to ensure patient confidentiality in settings where this could be difficult; e.g. in the military, where military doctors may be forced by more senior officers to disclose the HIV status of their patients. Several doctors expressed concern regarding occupational risk while managing HIV patients, and these were addressed and clarified. In general, the training provided a better understanding and awareness on various HIV issues of concern to the local practitioners.

Two more modules of HIV training were planned for 2007, following the successful first HIV training. The goal was to have the same participants in modules two and three. Module two covered other topics, such as ART and its principles; side effects and drug interactions; ART monitoring; infection control, occupational post-exposure prophylaxis, prevention of maternal to child transmission and women's issues; and children and HIV. Module three included topics such as counselling and support to people living with HIV/AIDS. The first HIV training module was conducted in English as most of the participants are familiar with the English language. However, based on feedback received, a Bahasa Indonesia speaker was included in the subsequent modules to enhance the understanding of the lectures. In addition, subsequent training modules also included nurses and other paramedical staff. Aside from

the formal lectures and training, short-term postings for Indonesian doctors to CDC-TTSH or NUH as observers were planned. Long-term plans also include possibilities for medical research that are mutually beneficial to both countries.

It is our belief that through the HIV training programme, there is more awareness of HIV among the various medical institutions in Batam. Aside from the medical management of the HIV infection, there is also more awareness and understanding of the social aspects of the infection. Fear and stigma remain one of the main barriers to HIV care and treatment from society as well as from medical personnel. Knowledge that treatment for HIV is available can help transform public attitudes about HIV. As a follow-up from the first module, participants were asked to bring medical cases and non-medical problems that they encounter in their institution to be discussed at the next module. Another advantage of this collaboration is the establishment of a means to refer patients for ART in Indonesia. Most non-Singaporeans do not have access to subsidised medical care, and thus, the cost of medical care and treatment in Singapore can be quite expensive. Likewise, immigration laws in Singapore do not allow non-resident non-Singaporeans with HIV infection to remain in Singapore. Through our relationship with Budi Kemuliaan Hospital, our Indonesian patients can be followed-up for their HIV infection. Moreover, we are able to follow-up on their care as well as provide advice on complicated medical cases when needed.

Ultimately, better care and treatment of HIV patients benefit the whole population. It has been well accepted that in order to control the HIV epidemic, there should be a concerted effort on both prevention and treatment.⁽⁹⁾ Indeed, it is important to emphasise that with effective treatment, there is indirect benefit to the sexual partners. According to clinical studies, ART suppresses HIV viral levels in body fluids and has been shown not only to increase survival in HIV patients, but also to reduce rates of mother-to-child transmission and heterosexual transmission.⁽¹⁰⁾ Therefore, ART should be seen as a means for both reducing morbidity and mortality among HIV patients, and also for lowering rates of transmission within populations.⁽¹¹⁾ Data supporting and verifying this argument was reported by Fang et al, who showed decreased transmission of HIV after a policy of providing free ART.⁽¹⁰⁾ HIV infection does not recognise any borders; and when we speak of populations at risk, we need to see beyond populations within countries. It is important to reiterate the proximity of Singapore and Indonesia, and the number of travellers that cross these two countries on a daily basis. We hope that this initiative will be recognised as a strategy to address the HIV epidemic and that support in developing this partnership will be maintained.

ACKNOWLEDGEMENTS

We are grateful for the enthusiasm and collaboration of our partners Ms Ibu Sri Soedarsono (Chairman of Batam HIV/AIDS Foundation), Dr Dindin Nadim, Dr Danang Legowo, Dr Fransisca Tanzil, Dr Yamin and Dr Willy Wullur. We specially thank the warm reception of Dr H Puardi Djarius, Dr Ciska Irma and Dr Suzana Endang from Dinas Kesehatan Kota Batam. Dr Arlene Chua is grateful for the support of A/Prof Paul Tambyah and A/Prof Wong Mee Lian through the NUS Leadership in the Academic Medicine Mentoring Programme.

REFERENCES

1. Riau Archipelago Tourism. Available at: www.indonesia-tourism.com/riau-archipelago/places.html. Accessed July 23, 2007.
2. Brinkhoff T. Population of Batam Municipality. Available at: www.citypopulation.de/Indonesia.html. Accessed July 24, 2007.
3. World Health Organisation; United Nations Children's Fund; Joint United Nations Programme on HIV/AIDS. Indonesia Epidemiological Fact Sheet on HIV/AIDS and Sexually Transmitted Infections 2006. Available at: www.who.int/GlobalAtlas/predefinedReports/EFS2006/EFS_PDFs/EFS2006_ID.pdf. Accessed July 23, 2007.
4. Dinas Kesehatan Kota Batam. HIV Control in Batam Report 2006.
5. Lee L. High risk in heterosexual men. 5th Singapore AIDS Conference, 2006. Symposium 5: Presentation.
6. Sen P, Chio MT, Tan HH, Chan RK. Rising trends of STIs and HIV infection in Singapore-- a review of epidemiology over the last 10 years (1994 to 2003). *Ann Acad Med Singapore* 2006; 35:229-35.
7. Ministry of Health, Singapore. Update on the HIV/AIDS situation in Singapore 2006. Available at: www.moh.gov.sg/mohcorp/currentissues.aspx?id=16114. Accessed July 24, 2007.
8. Yuniastuti E, Djauzi S, Djoerban C. Antiretroviral treatment in naïve and experienced patients: Indonesian situation. 2nd HIV training course, Batam, Indonesia, 2007.
9. Okie S. Fighting HIV – Lessons from Brazil. *N Engl J Med* 2006; 354:1977-81.
10. Fang CT, Hsu HM, Twu SJ, et al; Division of AIDS and STD, Center for Disease Control, Department of Health, Executive Yuan. Decreased HIV transmission after a policy of providing free access to highly active antiretroviral therapy in Taiwan. *J Infect Dis* 2004; 190:879-85.
11. Garnett GP, Bartley L, Grassly NC, Anderson RM. Antiretroviral therapy to treat and prevent HIV/AIDS in resource-poor settings. *Nat Med* 2002; 8:651-4.

2008 SMJ Best Research Paper Awards

The Singapore Medical Association will be presenting awards for the Best Research Paper published in the Singapore Medical Journal (SMJ) in 2008. All original research papers that are published in the SMJ during the one year period from January 1, 2008 to December 31, 2008 will be considered for this award.

The following are the judging criteria:

- **The paper with the most potential impact on clinical practice**
- **Most rigorous study design/research methodologies**
- **Comprehensive data analysis and balanced discussion**
- **Data interpretation**

Distinguished members of the medical profession will be invited to serve on our panel of judges for selecting the winning papers.

The authors of the winning papers selected by our panel of judges will receive cash prizes for the first, second and third places. Prize winners will also receive a commemorative trophy and certificate.

We thank you for your support of the SMJ. The quality of our journal depends on the quality of your submissions.