

Singapore Medical Journal Volume 51 2010 Subject Index

- 18F-FDG, e37
 25-hydroxy vitamin D, 440
 abdominal aorta, e94
 abolition of seizure, 424
 abstracting, 757
 academic achievement, 247
 accessory foramen, 730
 ACE activity, 576
 ACE inhibitor, 151
 acquired brain injury, 709
 activated partial thromboplastin time, 300
 acute appendicitis, 220
 acute coronary syndrome, 558
 acute emesis, 871
 acute lung injury, 501
 acute renal failure, e79
 acute respiratory distress syndrome, 490, 501
 acute septic arthritis, e1
 add-on therapy, 424
 adenexal tumour, e46
 adhesive capsulitis, 694
 adolescent women, 876
 adult females, 116
 affordability, 399
 aflatoxin-induced liver damage, 326
 agenesis, e163
 albuminuria, 151
 ALCAT test, 4
 allergic rhinitis, 542
 amlodipine, 424
 amniocentesis, 343
 amyloidosis, e158
 anatomy, 721, e94
 androgenetic alopecia, 931
 aneurysm, e85
 angiofollicular lymphoid hyperplasia, 813
 angioplasty, e81
 angiotensin-converting enzyme, 576
 angiotensin receptor blocker, 151
 ankylosing spondylitis, 883
 antenatal screening, 800
 anterior cruciate ligament, 413
 anthropometry, 212
 anticonvulsant, 424
 antiepileptic drugs, 21
 antihypertensive, 39
 antioxidant, 230
 antisickling, 230
 anti-snake venom, 300
 aortic arch, e182
 aortic valve stenosis, 69
 aplastic anaemia, 806
 apoplexy, e179
 apoptosis, 50
 appendicectomy, 220
 armed forces, 635
 arrhythmia detection, 565
 arteritic anterior ischaemic optic neuropathy, 73
 ASA, 137
 ascending pharyngeal artery, e40
 Asia, 536
 Asian, 937
 Asian Continental Ancestry Group, 888
 aspirin, e198
 atrial fibrillation, e118
 atrioventricular block, e146
 atrioventricular dissociation, e146
 attitude, 15
 attitudes, 290, 623
 audit, 736
 author contribution, 844
 autopsy, e15
 baby walkers, 645
 Bangladesh, 876
 barium meal follow through with pneumocolon, e153
 basal metabolic rate, 635
 beliefs, 15
 benign, 650
 benzodiazepine, 21
 bereavement, e34
 beta-human chorionic gonadotropin, e58
 bibliographic databases, 757
 bifurcation, 216
 bile ducts, 744
 biliary cyst, e27
 biliary obstruction, 762
 bioabsorbable, 235
 biochemical markers, 50
 bioprosthetic, 69
 BI-RADS category 3, 120
 birth weight, 853
 blood, 944
 blood components, 736
 blood gas, 501
 blood transfusion, 736
 blunt renal trauma, 468
 body weight, 957
 bolus dose, 440
 bone fractures, 702
 bone marrow, 806
 bone mineral density, 876
 bone-patellar tendon-bone graft, 413
 book analysis, 685
 book review, 685
 brachial plexus, 464
 brachiocephalic trunk, e182
 brain death, e133
 brain herniation, e166
 brain natriuretic peptide, 501
 branchial apparatus, e122
 breast cancer, 120, 306
 breast, e72
 broken heart syndrome, e76
 Brostrom-Gould, 235
 brown fat, e37
Burkholderia pseudomallei, e43
 cadaver, 721
 cancer, 374, 860
 cardiac failure, 896
 cardiac imaging, 282
 cardioversion, e118
 carotid artery, e163
 case report, 10
 Castleman's disease, 813
 catheter, e195
 CD5, e201
 central compartment, 311
 cephalometry, 212
 cerebellopontine angle, e98
 cerebral blood flow, e111
 cervical laminectomy, e66
 cervical lymphadenopathy, e18
 channel delivery, 790
 chemotherapy, 860
 child, 406
 children, 457, e34
 Chinese, 290, 716
 chronic kidney failure, 888
 chronic myeloid leukaemia, 110
 chronic pulmonary thromboembolism, e22
 citation, 757
 citrin deficiency, e12
 citrullinaemia type 2, e12
 clinical applications, e182
 clinical audit, 724
 clinical outcomes, 570
 clinical spectrum, 226
 clinicopathological behaviour, 813
 coeliac trunk, 216, e6
 cognitive ability, 247
 collision tumour, e176
 colon, 650
 colorectal cancer, 475
 commentary, 454, 612
 common peroneal nerve, 721
 comparative study, 716
 computed tomography, 200, 457, 475, e163
 conflict-of-interest, 844
 congenital abnormalities, e163
 congenital anomaly syndrome, e54
 congenital cardiac surgery, 570
 congenital hand deformity, 965
 congenital heart disease, 570
 congenital megalourethra, 352
 congenital variant, e195
 congruency, 332
 contralateral lymph node, e187
 copyright, 844
 coronary angiography, e81
 coronary arteries, e76
 coronary artery bypass graft, 381
 coronary artery disease, 282, 374
 coronary plaques, 282
 correspondence, 796
 cost-effectiveness, 689
 cranial melioidosis, e43
 creatinine, 888
 Crohn's disease, 484
 Cronkhite-Canada syndrome, e153
 cross-cultural, e34
 cross-sectional studies, 592
 cryptococcal meningoencephalitis, e133
 cutaneous adverse drug reactions, 767
 cyclin D1 markers, e201
 CYP2E1, 389
 cystatin C, 888
 cystic pancreatic lesion, 668
 cystoenterostomy, e27
 cytogenetic analysis, 133
 cytotoxic food testing, 4
 data falsification, 908
 deafness, e30
 decortication, 242
 deformity, e149
 delayed closure of anterior fontanel, e9
 delayed emesis, 871
 dengue haemorrhagic fever, e146
 depomedroxyprogesterone acetate, 876
 developing countries, 702
 developmental psychology, e34
 dexamethasone, 871
 diabetes mellitus, 56, 157, 582, 623, 923
 diabetic eye screening, 631
 diabetic nephropathy, 151
 diabetic retinopathy, 56, 631
 diagnosis, 93, 542
 diagnostic accuracy, 282
 diagnostic imaging, 744
 diagnostic techniques, 220
 diagnostic yield, 660
 dietary supplements, 440
 differentiated thyroid carcinoma, 311
 directions, 730
 disability, 865
 disease-related knowledge, 484
 districts of West Bengal, 406
 diverticulosis, e161
 doctors, 592
 dopamine-secreting tumours, e89
 Down syndrome, 133, 343, e46
 driver, 913
 drug allergy, 767
 drug hypersensitivity, 767
 drug utilisation, 21, 28
 dual time point imaging, e37
 duodenal obstruction, e184
 duplicate publication, 908

- duration of untreated psychosis, 689
duty of care, 275
early mobilisation, e62
early post-traumatic seizures, 105
early psychosis intervention, 689
eccrine tumour, e46
Echinococcus, e72
eczema, e158
editorial, 612
education, 796
educational messages, 790
electroencephalography, e133
embolisation, 824
emergency department, 200
emperipolesis, e173
empyema, 242
endemic disease, e72
endophthalmitis, e169
endoscopy, 93, 744
endosonography, 762
energy requirement, 635
enlarging palpable breast lump, e191
envenomation, 300
epidemiology, 429
epidermal inclusion cyst, e191
epilepsy, 290, 424
epileptogenesis, 105
eruptive syringoma, e46
erythromycin, 952
ethics committee, 908
evidence, 913
evidence-based medicine, 362
evoked potentials, 716
exchange transfusion, 641
excision biopsy, 306
external carotid artery, e40
external fixator, e62
extracorporeal shock wave lithotripsy, 512
facial ergonomics, 212
factors affecting HbA1c, 616
false negative, e58
family physicians, 796
fatal, 496
febrile seizures, 724
feeding intolerance, 952
female circumcision, 15
female genital cutting, 15
femoral artery, e3, e81
femoral nerve palsy, e107
femoral vein, e3
fever, 724
fibrinolytic therapy, 242
figures, 186
fingertip, 78
fingertip amputation, 78
fingertip injuries, 78
first-degree relatives, 576
FISH, 343
fistula, e85
fixed oil extract, 230
flap, 339
flexible bronchoscopy, 660
food allergy, 4
food specific IgG test, 4
food supplements, 957
formalin, 315
fracture, 817
Francisella tularensis, 655
free radicals, 381
fresh citrated whole blood, 641
frozen shoulder, 694
fructose, 389
functional outcome, 235
functional paraganglioma, e89
functional status, 865
galectin-3, 856
gastric cancer, 93, e126, e176
gastrointestinal bleeding, e85
gastrointestinal haemorrhage, e198
gender, 247
generalised seizure, 21
genitourinary tuberculosis, e48
geriatric drugs, 28
gestational age, 853
giant cell arteritis, 73
Glasgow Outcome Scale, 320
glenohumeral joint, e1
global health, 536
global health initiatives, 536
globalisation, 536
glomerular filtration rate, 888
glucocorticoids, 948
glucose, 853
glycaemic control status, 157
glycated haemoglobins, 616
goitre, e173
gonadotrophin-releasing hormone agonist, 698
Google search, 332
grandmultiparity, 506
granuloma, e15
great saphenous vein, e3
grief, e34
guidance, 660
H1N1, 490
haematoma, e198
haematuria, 481
haemodialysis, e195
Hashimoto disease, e143
HbA1c, 616, 937
HbA1c level, 157
health insurance, 399
health policy, 913
health survey, 15
healthcare, 796
healthcare professionals, 586
healthcare workers, 275, 586
heart valve prosthesis, 69
HeartWave500, 565
hemithyroidectomy, 311
hepatic cyst, e27
hepatic tuberculosis, 744
hepatitis B, 800
hepatobiliary system, e6
hepatoprotective, 326
hexafurcation, 216
hip fracture, 137
hip fusion, e107
Hirschsprung disease, e54
hook effect, e58
hookwire localisation, 306
hospital, 944
hydatid cyst, e72
hydatidiform mole, e58
hypersplenism, 806
hyperthermia, e187
hypothyroidism, e143
I/D gene polymorphism, 576
ICU, 226
illustrations, 186
immunisation, 406
in vitro fertilisation, 698
indexing, 757
India, 406
indirect calorimetry, 635
infant, 440
infants, 645
inflammatory bowel disease, 484
influenza pandemic, 490
influenza, 623
information needs, 790
infraorbital foramen, 730
inhaled nitric oxide, 144
injuries, 78
injury, 645
institution, 944
institutional review board, 908
insulin resistance, 389, 931
intellectual property, 844
intercostobrachial plexus, 464
internal, e163
internal jugular vein, e195
international health, 536
intracranial brain tumours, e166
intracranial hypertension, e133
intraductal papillary mucinous tumour, 668
intramedullary nailing, e107
intramuscular oxytocin, 207
intravenous drug abuse, 824
intravenous immunoglobulin, e18
intravenous magnesium sulphate, 144
invasive blood pressure, e111
invited commentary, 454
invited review, 271
in-vitro specific IgE test, 4
iron deficiency, 116
iron deficiency anaemia, 116
ischaemic optic neuropathy, 73
isoflavone phytoestrogens, 781
Ixora coccinea, 326
jejunum, e103
joint instability, 235
journal, 757
journal correspondence, 532
kala-azar, 806
karyotype, 343
karyotype pattern, 133
Kassandra, 35
kidney calculi, 512
kidney injuries, 468
Kikuchi's disease, e18
kinesiology and electrodermal testing, 4
Klinefelter's syndrome, e24
knee locking, e140
knowledge, 623
laparoscopic, 650
laryngotracheal stenosis, 848
larynx, 848
left common carotid artery, e182
left coronary artery, 775
leptin, 39
letter to the Editor, 532
Level I trauma centre, 736
licensing, 913
linea alba hernia, e9
linguofacial trunk, e40
lipid peroxidation, 105, 582
lipid profile, 781
lipoma, 418
liposarcoma, 418
lithotripsy, 512
liver transplant, 434
local staging, 475
locations, 730
locomotion, 709
low-density lipoproteins, 582
lower limb reconstruction, 339
lower segment caesarean section, e111
lung mass, e22
lymphadenopathy, e173
lymphoma, e176
magnetic resonance angiography, e133
magnetic resonance imaging, 418, e69, e98
malaria complications, 226
malignant, 650
malignant pleural effusion, 163
malondialdehyde, 582
mammography, e191
mantle cell lymphoma, e201
maximal electroshock, 424
MDCT angiography, e103
median artery, 775
medical diagnosis, 332

- medical ethics, 275
 medical guidelines, 913
 medical students, 116, 126
 medical writing, 10, 101, 186, 271, 362, 454, 532, 612, 685, 844
 meningitis, e30
 mental retardation, e54
 metabolic liver disease, e12
 metabolic syndrome, 931
 metastases, e98
 metastasis, 856
 minimally invasive, 650
 molecular genetics, e12
 monotherapy, 21
 morbid obesity, 937
 mortality, 389
 mortality risk factors, 137
 motor developmental delay, e9
 motor neurone disease, 367
 Mowat-Wilson syndrome, e54
 MR imaging, 716
 mucinous adenocarcinoma, e126
 mucinous cystic neoplasm, 668
 multicultural, 790
 multiple acyl coenzyme A dehydrogenase deficiency, e69
 multiple lymphomatous polyposis, e201
 multiple sclerosis, 716
 multislice CT, 282, 374
 mycotic aneurysm, 824
 myocardial bridge, 775
 myocardial infarction, 576, 781, e118
 myocarditis, e15
 myxofibrosarcoma, e187
 N-acetylcysteine, 381
 nail bed injuries, 78
 nasal inflammation, 542
 necrotising fasciitis, e51
 necrotising lymphadenitis, e18
 neglected elbow dislocation, e62
 neonatal cholestasis, 434
 neonatal hyperbilirubinaemia, 641
 neonatal intrahepatic cholestasis, e12
 neonatal jaundice, e12
 neonate, 853, e166
 Nepal, 212
 nephroureterectomy, e48
 neuroendocrine tumour, e129
 neurofibromatosis, e98
 neuroimaging, e30
 neuropathies, 464
Nigella sativa, 230
 Nigeria, 506
 nodular, e158
 non-palpable breast lesion, 306
 non-parasitic cyst, e27
 non-ST elevation myocardial infarction, 558
 nutrition, 876
 nutritional status, 860
 obesity, 126
 obscure gastrointestinal haemorrhage, e103
 obstructed labour, 506
 obstructive jaundice, e198
 occipito-auricular trunk, e40
 occult giant cell arteritis, 73
 Occupational Safety and Health Act (OSHA) 1994, 586
 occupational safety and health knowledge, 586
 oesophagus, e201
 ondansetron, 871
 opinion, 454, 612
 oral food challenge, 4
 oral misoprostol, 207
 organ donation, 790
 ossified anterior longitudinal ligament, e66
 ossified posterior longitudinal ligament, e66
 osteoarthritis, e149
 osteomyelitis, e1
 osteoporosis-related fractures, 948
 outbreaks, 655
 outcome, 434, 496, 698
 ovariotomy, 781
 oxidative stress, 110
 paediatric, 848
 paediatric drowning, 429
 paediatric imaging, 457
 Pakistan, 592
 palliative radiotherapy, e187
 palonosetron, 871
 pamidronate, 883
 pancytopenia, 806
 pandemic, 275
 paraquat, 496
 parity 1–4, 35
 Parkinson's disease, 60
 Parkinson's disease sleepiness scale, 60
 partial seizure, 21
 patient volume, 570
 pentafurcation, 216
 pentylenetetrazole, 424
 periocular infection, e51
 perioperative complications, 44
 perirenal haematoma, 481
 peroneus brevis, 339
 per-rectal bleeding, 315
 persistent left superior vena cava, e195
 perspective, 454
 pes varus, e9
 PET/CT, e37
 phaeochromocytoma, e89
 phlebectasia, e103
 pictorial essay, 186
 pigmented villonodular synovitis, e140
 pituitary adenoma, e179
 pituitary function test, e179
 placenta, 39
 plagiarism, 908
 plasma dopamine, e89
 pleurodesis, 163
 pneumothorax, 163
 poisoning, 496
 polydactyly, 965
 polymerase chain reaction, 655
 polyposis, e153
 polysomnography, 60
 polytherapy, 21
 post-biopsy complications, 481
 postlaminectomy kyphosis, e66
 povidone iodine, 163
 PPHN, 144
 predictive equation, 635
 preeclampsia, 39
 pregnancy, 39
 prematurity, 247
 prescribing guidelines, 28
 preterm infant, 952
 prevalence, 800, 817, 923
 prevention, 429
 previous scar, 35
 primary viral pneumonitis, 490
 proctitis, 315
 profunda femoris artery, e3
 prolonged jaundice, e12
 prolonged labour, 35
 prothrombin time, 300
 proximal femur, e107
 proximal renal tubular acidosis, e24
 pseudocyst, 668
 pseudodiverticulosis, e161
Pseudomonas aeruginosa, e51
 public health, 275, 536
 publication ethics, 908
 pulmonary, e137
 pulmonary nodule, 660, e22
 pulmonary thrombus, e22
 pyogenic liver abscess, e169
 quadrifurcation, 216
 quality assurance specialisation, 796
 quality of life, 157, 551
 radial artery, e81
 radiation, 315
 radiation dose, 200, 374, 457
 radiation risk, 200, 457
 radiofrequency ablation, e129
 reconstituted blood, 641
 rectum, 650
 recurrence, e187
 regional lymphadenopathy, 475
 regular-interval follow-up, 120
 relapse, e30
 reliability, 865
 renal, 824
 renal biopsy, 481
 renal haemorrhage, 468
 renal trauma, 468
 renin-angiotensin system, 151
 reperfusion injury, 381
 resection, 93
 response marker, 110
 retinopathy, 56
 retrograde, e107
 retrograde intrarenal surgery, 512
 retrograde urethrography, 352
 retrospective, 817, 848
 review, 542
 review article, 271
 rhabdomyolysis, e79
Rhinacanthus nasuta, 326
 rhythm abnormality, e146
 right coronary artery, 775
 rights and permissions, 908
 risk, 374
 risk factors, 126, 429, 655, 800
 robotic, 709
 Rosai-Dorfman disease, e173
 Roux-en-Y gastric bypass, 937
 ruptured uterus, 35
 rural population, 702
 Saudi Arabia, 923
 scapula infection, e1
 scarred uteri, 506
 sciatic nerve, 721
 scientific misconduct, 908
 scientific paper, 10, 101, 186, 271, 454, 532, 612, 685, 844
Scopulariopsis, e137
 screen imaging studies, 120
 screening, 853, 923
 secondary cardiac injury, e114
 secondary hospital, 506
 secondary osteoporosis, 948
 seizure, e79
 septic shock, e51
 serosal invasion, 475
 serous cystadenoma, 668
 shaft fracture, e107
 shapes, 730
 short form 36, 157
 short stature, e24
 short tandem repeat, 343
 short-interval follow-up, 120
 shoulder joint, 694
 shoulder pain, 865
 signet ring cell carcinoma, e126
 Silver-Russell syndrome, e9
 simultaneous bilateral total knee arthroplasty, 44
 Singapore, 536
 single ovary, 698
 sinoatrial block, e146

- sinus histiocytosis, e173
 skin prick test, 4
 sleep-disordered breathing, 60
 social behaviour, 592
 socioeconomic factors, 406
 socioeconomic status, 247
 soft drinks, 126
 soft tissue neoplasm, 418
 solitary pulmonary nodule, e22
 somatostatin analogue, e129
 sonography, e191
 South Indian population, 576
 soybean protein, 781
Spilanthes ciliata, 326
 spinal arteriovenous malformation, e114
 spinal haemorrhage, e114
 spironolactone, 501
 splenic, 824
 splenomesenteric trunk, e6
 spontaneous intracerebral haemorrhage, 320
 spontaneous rupture, e169
 ST-elevation myocardial infarction (STEMI), e76
 stent, e81
 sterile pyuria, e48
 Stevens-Johnson syndrome, 767
 stomach, e184
Streptococcus suis, e30
 stress cardiomyopathy, e76
 strictures, 744
 subarachnoid block, e111
 subarachnoid haemorrhage, e114
 subdural empyema, e43
 subglottic stenosis, 848
- sublingual/intradermal provocation tests, 4
 subphrenic abscess, e169
 subtrochanteric, e107
 superior mesenteric artery, e6, e184
 superior thyroid artery, e40
 superoxide dismutase, 582
 surfactant, 501
 surgical, 220
 surgical evacuation, 320
 surgical procedures, 813
 survival, e126
 suture anchor, 235
 symptoms, 220
 synchronous tumour, e176
 syndactyly, 965
 syndrome, e184
 systematic review, 362
 Takayasu's arteritis, e111
 Takotsubo cardiomyopathy, e76
 technical development, 101
 technical innovation, 101
 technical note, 101
 temporal arteritis, 73
 thalassaemia, 817
 therapeutic drainage, 762
 therapy, 512
 thioacetamide, 389
 third branchial fistula, e122
 third stage of labour, 207
 thyroid cancer, 856
 tibial nerve, 721
 tibial stress fractures, e149
 TIMI score, 558
- tinnitus, 551
 Tinnitus Handicap Inventory, 551
 tirofiban, 558
 tobacco smoker, e137
 total knee arthroplasty, 44, e149
 toxic epidermal necrolysis, 767
 traditional birth attendants, 35
 training, 709
 transapical, 69
 transcatheter aortic valve implantation, 69
 transfer, 709
 transfer-of-copyright, 844
 transmission, 944
 transtelephonic event recorder, 565
 trauma, 200, 817
 treatment, 542
 treatment outcome, 413
 trifurcation, 216
 trigger thumb, 965
 trisomy 21, e46
 tropical medicine, 536
 tube thoracostomy, 242
 tuberculoma, 744
 tuberculosis, 744, 957, e15, e85
 tuberculosis pyelonephritis, e48
 tularaemia, 655
 tumour markers, e143
 tumour necrosis factor-alpha, 883
 type 2 diabetes mellitus, 50, 157, 937
 ulcerative colitis, 484
 ulnar artery, e81
 ultrasonography, e184
- ultrasound, e72
 understanding, 290
 unilateral total knee arthroplasty, 44
 uninsured, 399
 unproven allergy tests, 4
 upper and lower face height, 212
 upper limb, 464
 urban areas, 290
 urban population, 702
 ureteral diverticulum, e161
 urinary dopamine, e89
 urinary tract infection, e48
 urine pregnancy test, e58
 uterine rupture, 506
- vaccination, 623
 validity, 865
 variation, e94
 vascular malformation, e103
 VATS, 242
 vein of Galen malformations, 896
 vertebral artery, e182
 VIPoma, e129
 virus, 944
 voiding cystourethrogram, 352
- walking, 645
 wasting disease, 957
 water safety, 429
 web-based monitoring, 565
 weighted analysis, 800
 Whipple procedure, e129
 workplace bullying, 592
- ZEB2* gene, e54